



ACCOR HOTELS

Feel Welcome

HOD Repository USER GUIDE

Version 6

RAFFLES

ORIENT  EXPRESS

BANYAN TREE

SOFITEL
LEGEND

Fairmont

SOFITEL
SO

SOFITEL

onfinestay

RIXOS



pullman

swissôtel

ANGSANA

25h
twenty five hours hotels

GRAND MERCURE

THE
SEBEL

NOVOTEL

Mercure

adagio

MAMA
SHELTER

ibis

ibis
STYLES

ibis
budget

JOB
30C

hotelF1

Summary

| | | |
|------|---------------------------------------|----|
| 1 | How to connect to the HOD Repository: | 6 |
| 1.1 | URL | 6 |
| 1.2 | Presentation of different items | 6 |
| 1.3 | Description of the content detail | 7 |
| | 1.3.1 The content in xml format | 7 |
| | 1.3.2 Excel export of this content | 8 |
| 1.4 | List of all files | 8 |
| 2 | General hotel description: | 9 |
| 2.1 | Hotel code | 9 |
| 2.2 | Hotel currency | 9 |
| 2.3 | Hotel name | 9 |
| 2.4 | Brand name | 9 |
| 2.5 | Brand code | 9 |
| 2.6 | Hotel commercialisation status | 9 |
| 2.7 | Time zone | 10 |
| 2.8 | Hotel address, phone number... | 10 |
| | 2.8.1 Hotel address | 10 |
| | 2.8.2 Tel, fax, email, web url | 10 |
| | 2.8.3 Hotel contacts | 11 |
| 2.9 | Build date | 12 |
| 2.10 | Last renovation date | 12 |
| 2.11 | Hotel short name | 13 |
| 2.12 | Hotel category | 13 |
| 2.13 | Lodging type | 13 |
| 2.14 | Hotel description | 14 |
| 2.15 | Hotel rating | 14 |
| 2.16 | Hotel labels | 14 |
| 2.17 | Hotel location | 15 |
| 2.18 | Hotel access | 16 |
| 2.19 | Latitude/Longitude | 16 |
| 2.20 | Translation descriptive | 17 |
| 3 | Hotel services | 18 |
| 3.1 | Languages spoken in hotel | 18 |
| 3.2 | Handicapped services | 18 |
| 3.3 | Security in Hotel | 19 |

| | | |
|-----|--|----|
| 3.4 | Hotel services | 19 |
| 3.5 | Business services | 21 |
| 4 | Meeting rooms | 22 |
| 5 | Rooms | 24 |
| 5.1 | Room codes | 24 |
| 5.2 | Room name and description | 24 |
| | 5.2.1 Room short name | 24 |
| | 5.2.2 Room description | 24 |
| 5.3 | Room attributes | 25 |
| | 5.3.1 View | 25 |
| | 5.3.2 Bedding | 25 |
| | 5.3.3 Room classification | 26 |
| | 5.3.4 Room category | 26 |
| 5.4 | Room occupancy | 26 |
| | 5.4.1 Max occupancy | 26 |
| | 5.4.2 Max adult occupancy | 26 |
| | 5.4.3 Max children occupancy | 27 |
| 5.5 | Room facilities | 27 |
| | 5.5.1 Free facilities | 27 |
| | 5.5.2 Paying facilities | 28 |
| 5.6 | General room description | 28 |
| | 5.6.1 Non smoking rooms | 28 |
| | 5.6.2 Family rooms | 28 |
| | 5.6.3 Connecting rooms/Suites | 29 |
| | 5.6.4 Reduced mobility rooms | 29 |
| | 5.6.5 Total number of suites | 29 |
| | 5.6.6 Total number of bungalows and villas | 29 |
| | 5.6.7 Total number of rooms and suites | 29 |
| 6 | Restaurants and bars | 30 |
| 6.1 | Identifiant number | 30 |
| 6.2 | Bar name /Restaurant name | 30 |
| 6.3 | Max seating capacity | 30 |
| 6.4 | Restaurant /Bar location | 30 |
| 6.5 | Operation time | 30 |
| 6.6 | Children menu | 31 |
| 6.7 | Restaurant/Bar category | 31 |
| 6.8 | Cooking type | 31 |
| 6.9 | Restaurant/Bar description | 32 |
| 7 | Centers of interest | 33 |

| | | |
|--------|--|----|
| 7.1 | Geographical center of interest | 33 |
| 7.1.1 | List of geographical center of interest: | 33 |
| 7.1.2 | Airport | 34 |
| 7.1.3 | Nearest city/major city | 34 |
| 7.1.4 | Indicators detail | 34 |
| 7.1.5 | Center of interest location | 35 |
| 7.1.6 | Name of the center of interest | 35 |
| 7.2 | Center of interest : Attraction type | 35 |
| 7.2.1 | First center of interest for the hotel | 36 |
| 7.2.2 | Shuttle between center of interest and hotel | 36 |
| 8 | Recreational activities | 37 |
| 9 | Taxes | 38 |
| 9.1 | Taxe codes | 38 |
| 9.2 | Tax unit | 39 |
| 9.3 | The consideration of taxes | 39 |
| 9.4 | Tax value | 39 |
| 9.4.1 | Included | 39 |
| 9.4.2 | Tax in amount | 40 |
| 9.4.3 | Tax in percentage | 40 |
| 9.4.4 | Validity period of taxes | 40 |
| 9.4.5 | Tax description | 41 |
| 10 | Sales conditions | 42 |
| 10.1 | Check in policy | 42 |
| 10.2 | Check out policy | 42 |
| 10.3 | Children policy | 43 |
| 10.3.1 | No children policy | 43 |
| 10.3.2 | Children policy | 43 |
| 10.3.3 | Children policy description | 43 |
| 10.4 | Cancellation policy | 44 |
| 10.4.1 | Validity period | 44 |
| 10.4.2 | Associate number to the cancelation policy | 44 |
| 10.4.3 | Description text | 44 |
| 10.4.4 | Variables | 45 |
| 10.5 | Guarantee policy | 46 |
| 10.5.1 | Validity period | 46 |
| 10.5.2 | Guarantee type | 46 |
| 10.5.3 | Guarantee and payments | 49 |
| 11 | Other informations | 52 |
| 11.1 | Pets accepted in the hotel | 52 |

| | |
|--|----|
| 11.2 Breakfast amount display | 52 |
| 11.3 BAR display | 52 |
| 11.4 Property code correspondence | 53 |
| 11.5 Room type correspondence | 54 |
| 11.6 Label(s) link to the hotel | 55 |
| 11.7 Langues available for any description | 55 |

1 HOW TO CONNECT TO THE HOD REPOSITORY:

1.1 URL

You will access to the HOD Repository by using the following URL:

<http://repos.accorhotels.com/ota>

This repository is open and available for all our partners.

1.2 Presentation of different items

The HOD Repository permit you to access to different items.

- **Hotel content user guides:** user guides for HOD repository in French and English version
- **Library of Accor Hotels photos:** user guides for photos server
- **Logos:** all the ACCOR logos of each brand at disposal
- **Content summary:** summary of all hotels content file displayed in the HOD repository
- **HOD files :** hotels content file in xml OTA format



The screenshot shows a web page with the ACCOR logo in the top right corner. The page is divided into several sections by horizontal lines:

- Hotel content user guides**: Includes a link [click here](#).
- Library of Accor Hotels photos**: Includes links for [User guides](#), [click here](#), [Internet Url access](#), and [click here](#).
- Logos**: Includes a link [click here](#).
- Content summary**: Includes a bulleted list:
 - [XML version](#)
 - [Excel version](#)
- HOD files**: Includes a bulleted list of hotel identifiers:
 - [MERCURE LILLE METROPOLE - 1099](#)
 - [HOTEL DU SUPPORT TARS Normal - 0336 \(DELETED\)](#)
 - [IBIS CENTR'ALES - 0338](#)
 - [MERCURE ANNECY SUD 3* - 0340](#)
 - [MERCURE LE HAVRE COMMERCE 3* - 0341](#)
 - [MERCURE ANNEMASSE PT GENEVE 3* - 0343](#)
 - [MERCURE LE MANS BATIGNOLLES - 0344](#)
 - [AMAMERCURE LYON CHARBONNIERES 3* - 0345](#)
 - [MERCURE AVIGNON 3* - 0346](#)

1.3 Description of the content detail

You will find the **Content file** composed with the list of all Accor hotels.

1.3.1 The content in xml format

You will find for each hotel of the content:

| | |
|--------------|---|
| hotelCode | Code of the hotel |
| File | Name of the file |
| lastModified | The last modification date of the file |
| creationTime | initialisation date of the file in the HOD Repository |
| Latitude | |
| Longitude | |
| BrandCode | |
| BrandName | |
| CityName | |
| CountryCode | |
| CountryName | |
| Hotelstatus | 3 possible status : - Open: hotel is open for sale - Close: hotel is temporarily close for sale (ex: renovation) - Delete: hotel is no longer in the ACCOR group |

```
<repositoryContent>
  <description>Accor HOD Repository</description>
- <hotels>
- <hotel>
- <hotelCode>1099</hotelCode>
  <hotelName>MERCURE LILLE METROPOLE</hotelName>
  <file>1099.xml</file>
  <lastModified>2008-06-12T10:49:17.422+00:00</lastModified>
  <creationTime>2008-01-22T18:19:25.328+00:00</creationTime>
  <latitude>50.674321</latitude>
  <longitude>3.107184</longitude>
  <brandCode>MER</brandCode>
  <brandName>MERCURE</brandName>
  <cityName>MARCQ EN BAROEUL</cityName>
  <countryCode>FR</countryCode>
  <countryName>FRANCE</countryName>
  <hotelStatus>Open</hotelStatus>
  </hotel>
```

1.3.2 Excel export of this content

You can now export the content in a excel tab.

1.4 List of all files

By clicking on a file you will obtain the OTA_HotelDescriptiveContentNotifRQ in xml ota. Hotels which are no longer in the ACCOR group should have the mention DELETED. the content of the file will not be consult anymore.

- [MERCURE APT MANAUS 3* - 5671](#)
- [NOVOTEL MONTERREY VALLE - 3551](#)
- [TRAVELPORT MER GOBELINS ITALIE - 1969](#)
- [ALL SEASONS SUNSHINE TOWER - 3014](#)
- [ALL SEASONS KATHERINE - 3112](#)
- [SOFITEL SILOM BANGKOK - 3616](#)
- [THE VICTORIA ALL SEASONS HOTEL - 5505](#)
- [ALL SEASONS LEGIAN BALI - 5703](#)
- [ALL SEASONS GRANDE FLORIDA - 5995](#)
- [ALL SEASONS GATEWAY RESORT - 6201 \(DELETED\)](#)
- [ALL SEASONS SANCTUARY RESORT - 6206](#)
- [ALL SEASONS KI-EA APARTMENTS - 6244](#)
- [ALL SEASONS COLONIAL - 6389](#)
- [ALL SEASONS PERTH - 6394](#)
- [ALL SEASONS ECO RESORT - 6655](#)

2 GENERAL HOTEL DESCRIPTION:

2.1 Hotel code

| | |
|---------|-------------------------|
| Segment | HotelDescriptiveContent |
| Field | HotelCode |
| Example | HotelCode="2797" |
| Field | ID |
| Example | ID="2797" |

2.2 Hotel currency

| | |
|---------|-------------------------|
| Segment | HotelDescriptiveContent |
| Field | CurrencyCode |
| Example | CurrencyCode="EUR" |

2.3 Hotel name

| | |
|---------|-------------------------------------|
| Segment | HotelDescriptiveContent |
| Field | HotelName |
| Example | HotelName="Sofitel Le Parc - Paris" |

2.4 Brand name

| | |
|---------|-------------------------|
| Segment | HotelDescriptiveContent |
| Field | BrandName |
| Example | BrandName="SOFITEL" |

2.5 Brand code

| | |
|---------|-------------------------|
| Segment | HotelDescriptiveContent |
| Field | BrandCode |
| Example | BrandCode="SOF" |

2.6 Hotel commercialisation status

2 statuts are possible:



Hotel is bookable: Bookable status

| | |
|---------|-------------------------|
| Segment | HotelDescriptiveContent |
| Field | HotelStatus |
| Exemple | HotelStatus="Bookable" |
| Field | HotelStatusCode |
| Exemple | HotelStatusCode="1" |



Hotel is not bookable: NonBookable status

| | |
|---------|---------------------------|
| Segment | HotelDescriptiveContent |
| Field | HotelStatus |
| Exemple | HotelStatus="NonBookable" |
| Field | HotelStatusCode |
| Exemple | HotelStatusCode="2" |

2.7 Time zone

| | |
|---------|-------------------------|
| Segment | HotelDescriptiveContent |
| Field | Field |
| Exemple | Exemple |

2.8 Hotel address, phone number...

2.8.1 Hotel address

| | |
|---------|--|
| Segment | Addresses |
| Field | AddressLine |
| Example | AddressLine>Av. Américo Vespucio Norte 1630</AddressLine> <AddressLine>Vitacura</AddressLine> |
| Field | CityName |
| Example | <CityName>SANTIAGO DO CHILE</CityName> |
| Field | PostalCode |
| Example | <PostalCode>6671408</PostalCode> |
| Field | StateProv |
| Example | <StateProv StateCode="NY">NEW YORK</StateProv> |
| Field | CountryName |
| Exemple | <CountryName Code="US">USA</CountryName> |

For now, we have parametered states in this XML content for only 4 countries: Canada, United States, Mexico and Australia.

2.8.2 Tel, fax, email, web url

2.8.2.1 HOTEL PHONE NUMBER

| | |
|---------|---|
| Segment | Phones |
| Field | Phone PhoneTechType="1" PhoneNumber |
| Example | <Phone PhoneTechType="1" PhoneNumber="1/212/354-8844" PhoneLocationType="6" /> |

2.8.2.2 HOTEL FAX NUMBER

| | |
|---------|---|
| Segment | Phones |
| Field | Phone PhoneTechType="3" PhoneNumber |
| Example | <Phone PhoneTechType="3" PhoneNumber="1/212/354-2480" PhoneLocationType="6" /> |

2.8.2.3 HOTEL EMAIL

| | |
|---------|-------------------------------|
| Segment | Emails |
| Field | Email |
| Example | Email>H2185@accor.com</Email> |

2.8.2.4 URL

| | |
|---------|-------------------------------|
| Segment | URLs |
| Field | URL |
| Example | <URL>WWW.ACCORHOTEL.COM</URL> |

2.8.3 Hotel contacts

2.8.3.1 RESERVATION SERVICE

2.8.3.1.1 Phone number

| | |
|---------|---|
| Segment | Phones |
| Field | Phone PhoneTechType="1" PhoneNumber |
| Example | ContactInfo ContactProfileType="Local reservation office" Location="7"> : <Phones> <Phone PhoneTechType="1" PhoneNumber="33/4/93133085" |

2.8.3.1.2 Fax number

| | |
|---------|---|
| Segment | Phones |
| Field | Phone PhoneTechType="3" PhoneNumber |
| Example | ContactProfileType="Local reservation office" Location="7"> : <Phones> <Phone PhoneTechType="3" PhoneNumber="33/4/93130904" PhoneLocationType="3" /> |

2.8.3.2 RESERVATION MANAGER

| | |
|---------|---|
| Segment | ContactProfileType="Reservation manager" |
| Field | Surname |
| Example | ContactInfo ContactProfileType="Reservation manager" Location="7"> : <Names> : <Name> <Surname>Mrs Karine RASIGADE</Surname> |

2.8.3.3 HOTEL MANAGER

| | |
|---------|--|
| Segment | ContactProfileType="Reservation manager" Location="7"> |
| Field | Surname |
| Example | ContactProfileType="Reservation manager" Location="7">: <Names> : <Name> <Surname>Mr Pierre EBER</Surname> |

2.8.3.4 SALES MANAGER

| | |
|---------|---|
| Segment | ContactInfo ContactProfileType="Director of sales" Location="7"> |
| Field | Surname |
| Example | ContactInfo ContactProfileType="Reservation manager" Location="7">: <Names> : <Name> <Surname>Ms Brigitte REBOUL</Surname> |

2.8.3.5 SEMINAR AND BANQUETING MANAGER

| | |
|---------|---|
| Segment | ContactInfo ContactProfileType="Seminar & Banqueting manager" Location="7"> |
| Field | Surname |
| Exemple | <ContactInfo ContactProfileType="Seminar & Banqueting manager" Location="7"> : <Names> : <Name> <Surname>Mr Alan BLANKETT</Surname> </Name> </Names> : <Emails> <Email EmailType="5">H0668-BS@accor.com</Email> </Emails> </ContactInfo> |

2.9 Build date

| | |
|---------|-----------------------------|
| Segment | HotelDescriptiveContent |
| Field | HotellInfo WhenBuilt |
| Example | HotellInfo WhenBuilt="1912" |

2.10 Last renovation date

| | |
|---------|--|
| Segment | Descriptions |
| Field | Renovation RenovationCompletionDate |
| Example | Renovation RenovationCompletionDate="1992" |

2.11 Hotel short name

| | |
|---------|--|
| Segment | HotelDescriptiveContent |
| Field | HotelName HotelShortName |
| Example | HotelName HotelShortName="SOFITEL LE PARC |

2.12 Hotel category

OTA correspondence : SEG

| | |
|---------|--------------------------|
| Segment | CategoryCodes |
| Field | SegmentCategory Code |
| Example | SegmentCategory Code="4" |

List:

- 2-Budget
- 4-Deluxe
- 7-First class
- 13-Tourist
- 14-Upscale
- 16-Standard

2.13 Lodging type

OTA correspondence : PCT

| | |
|---------|-------------------------|
| Segment | CategoryCodes |
| Field | HotelCategory Code |
| Example | HotelCategory Code="20" |

List:

- 1-All suite
- 3-Apartment
- 4-Bed and breakfast
- 6-Campground
- 8-Condominium
- 9-Conference center
- 16-Guest house limited service
- 20-Hotel
- 21-Inn
- 24-Meeting/Convention
- 27-Motel
- 30-Resort
- 35-Villa
- 37-Castle
- 40-Pension

- 42-Spa
- 43-Time share

2.14 Hotel description

Multilingual field.

| | |
|---------|---|
| Segment | Descriptions |
| Field | Text Language |
| Example | <pre>D Description InfoCode="1" AdditionalDetailCode="2 <Text Language="en">Fully refurbished in 2007, the contemporary interior design combines exquisite style and elegant refinement with the convenience of several restaurants, bars, spa, casino, 850m2 of conference/meeting facilities and all the latest amenities - the uniqueFrench flair and personalized service add a special touch of luxury.</Text></pre> |

Description InfoCode="1" : means Description
AdditionalDetailCode="2" : means Hotel descriptif

2.15 Hotel rating

The field Award provider is dedicated to the rating name.
The field Rating is dedicated to the classification.

| | |
|---------|---|
| Segment | AffiliationInfo |
| Field | Award Provider |
| Example | <pre>Award Provider="Local star rating" Rating="3 Star" /></pre> |

2.16 Hotel labels

OTA correspondence : LAB

All labels attached to the hotel will be displayed. List of existing labels:

- 14001
- BBC
- BREEAM
- BRONZE
- BUSIN
- CEREMO
- CONVEN
- EARTH
- ECOLAB
- FAMILY
- FITNES
- GOLF

- HQE
- INCENT
- LEED
- MEETGS
- MEETSM
- MYRES
- OR
- PLATIN
- RESORT
- SILVER
- SPA
- THALA
- WEDDIN

| | |
|---------|---|
| Segment | Labels |
| Field | Label code |
| Exemple | <pre> =<Labels> <Label code="THALA" /> <Label code="EARTH" /> <Label code="BBC" /> </Labels> </pre> |

2.17 Hotel location

OTA correspondence : LOC

| | |
|---------|---------------------------|
| Segment | CategoryCodes |
| Field | LocationCategory Code |
| Example | LocationCategory Code="4" |

List :

- 1-Airport
- 2-Beach
- 4-Downtown
- 5-East
- 6-ExpressWay
- 7-Lake
- 8-Mountain
- 9-North
- 10-Resort
- 12-South
- 14-West
- 15-Beachfront
- 16-OceanFront
- 18-Business District
- 19-Entertainment
- 20-Financial district
- 21-Shopping district
- 22-Theatre district
- 23-Countryside

- 26-Park
- 27-River

2.18 Hotel access

OTA correspondence : TRP

The index point code 11 is used to list transportations to the hotel.

Multilingual field.

| | |
|---------|---|
| Segment | RefPoint |
| Field | IndexPointCode="11" TransportationCode |
| Exemple | <pre> <RefPoint IndexPointCode="11" ToFrom="FromFacility"> = <Transportations> = <Transportation TransportationCode="5"> = <Descriptions> = <Description Name="DirectionsFrom"> <Text Language="de">A 57. Nehmen Sie die Linie A 57, Haltestelle HYERES, Richtung HYERES</Text> <Text Language="es">A 57. Tome la línea A 57, pare HYERES, dirección HYERES</Text> <Text Language="fr">A 57. Emprunter la ligne A 57, station HYERES, direction HYERES</Text> <Text Language="en">A 57. Take line A 57, station HYERES, direction HYERES</Text> <Text Language="it">A 57. Prendere la linea A 57, fermata HYERES, direzione HYERES</Text> <Text Language="pt">A 57. Pegue a linha A 57, estação HYERES, direção HYERES</Text> </Description> </pre> |

List:

- 2-Boat
- 3-Bus
- 5-Car
- 8-Helicopter
- 9-Limousine
- 14-Plane
- 17-Shuttle
- 18-Subway
- 20-taxi
- 21-Train
- 24-Walk
- 26-Other or alternate

2.19 Latitude/Longitude

| | |
|---------|--|
| Segment | Descriptions |
| Field | Position Latitude / Longitude |
| Example | <Position Longitude="2.285842" Latitude="48.867044"> |

2.20 Translation descriptive

In order to display the hotel name in all language present in TARS, we have added one <HotelDescriptiveContent for each language.

The first element will manage all TARS language if translation exist in the hotel. The other element will contain only one language, the expected one defined in the attribute LanguageCode.

```
<OTA_HotelDescriptiveContentNotifRQ
xmlns="http://www.opentravel.org/OTA/2003/05" TimeStamp="2016-10-
12T04:05:06.024+02:00" Target="Production" Version="1.006"
PrimaryLangID="en">
  <HotelDescriptiveContents>
    <HotelDescriptiveContent UnitOfMeasureCode="2"
HotelCode="A125" CurrencyCode="EUR" HotelName="Prince Albert
Opera" BrandName="ASSOCIATED HOTELS" BrandCode="AHO"
ChainCode="RT" ID="A125" TimeZone="GMT+1">...
  </HotelDescriptiveContent>
    <HotelDescriptiveContent UnitOfMeasureCode="2"
HotelCode="A125" CurrencyCode="EUR" HotelName="Prince Albert
Opera" BrandName="ASSOCIATED HOTELS" BrandCode="AHO"
ChainCode="RT" TimeZone="GMT+1"
LanguageCode="en">...</HotelDescriptiveContent>
    <HotelDescriptiveContent UnitOfMeasureCode="2"
HotelCode="A125" CurrencyCode="EUR" HotelName="Prince Albert
Opera" BrandName="ASSOCIATED HOTELS" BrandCode="AHO"
ChainCode="RT" TimeZone="GMT+1"
LanguageCode="fr">...</HotelDescriptiveContent>
    <HotelDescriptiveContent UnitOfMeasureCode="2"
HotelCode="A125" CurrencyCode="EUR" HotelName="Prince Albert
Opera" BrandName="ASSOCIATED HOTELS" BrandCode="AHO"
ChainCode="RT" TimeZone="GMT+1"
LanguageCode="de">...</HotelDescriptiveContent>
    <HotelDescriptiveContent UnitOfMeasureCode="2"
HotelCode="A125" CurrencyCode="EUR" HotelName="Prince Albert
Opera" BrandName="ASSOCIATED HOTELS" BrandCode="AHO"
ChainCode="RT" TimeZone="GMT+1"
LanguageCode="es">...</HotelDescriptiveContent>
    <HotelDescriptiveContent UnitOfMeasureCode="2"
HotelCode="A125" CurrencyCode="EUR" HotelName="Prince Albert
Opera" BrandName="ASSOCIATED HOTELS" BrandCode="AHO"
ChainCode="RT" TimeZone="GMT+1" LanguageCode="it">
    <HotelInfo HotelStatusCode="1">
    <HotelName HotelShortName="PRINCE ALBERT OPERA"/>
  </HotelDescriptiveContents>
</OTA_HotelDescriptiveContentNotifRQ>
```

3 HOTEL SERVICES

3.1 Languages spoken in hotel

| | |
|---------|--|
| Segment | Languages |
| Field | Language |
| Example | <pre><Language Language="de" /> <Language Language="es" /> <Language Language="fr" /> <Language Language="en" /> <Language Language="it" /> <Language Language="nl" /></pre> |

3.2 Handicapped services

OTA correspondence : PHY

| | |
|---------|--|
| Segment | Service |
| Field | Service Code="47" |
| Example | <pre><Service Code="47" ProximityCode="1"> = <Features> <Feature AccessibleCode="6" /> <Feature AccessibleCode="39" /> <Feature AccessibleCode="28" /></pre> |

List:

- 6-Complies with Local/State/Federal laws for disabled
- 28-Public areas wheelchair accessible for disabled
- 39-Telephone for hearing impaired
- 102- Accessible baths

3.3 Security in Hotel

OTA correspondence : SEC

| | |
|---------|---|
| Segment | Service |
| Field | Service Code="80" |
| Example | <pre><Service Code="80" ProximityCode="1"> = <Features> <Feature SecurityCode="19" /> <Feature SecurityCode="22" /> <Feature SecurityCode="15" /> <Feature SecurityCode="93" /></pre> |

List:

- 8- Complies with hotel safety
- 9- Complies with Local/State/Federal fire laws
- 15- Emergency back-up generators
- 17- Emergency exit maps
- 18- Emergency info in room
- 19- Emergency lighting
- 22- Fire detectors in public areas
- 47- 24 hour security staff
- 50- Smoke detector in public areas
- 52- Sprinklers in public areas
- 58- Uniformed security
- 61- Video cameras in public areas
- 93- U.S. Fire Safety compliant (2005A)

3.4 Hotel services

OTA correspondence : HAC

Hotel services details:

- **Quantity** : quantity
- **Proximity code** : equal "1" if the service is inside the hotel, equal "2" if the service is outside the hotel
- **Included** : equal **true** if the service is free, equal **false** if the service is paying

When the information exists, there is an included flag permit to specify that the service is free or paying.

Some of the hotel services don't have any flag because this information about charges doesn't exist in our CRS. (example: bar , lounges)

| | |
|---------|--|
| Segment | Services |
| Field | Service Code |
| Example | <pre><Services> <Service Code="33" Quantity="1" ProximityCode="1" /> <Service Code="28" ProximityCode="2" Included="true" /> <Service Code="179" ProximityCode="1" Included="false" /> <Service Code="218" ProximityCode="1" Included="false" /></pre> |

| | |
|--|---|
| | <pre> <Service Code="165" ProximityCode="1" /> <Service Code="195" ProximityCode="2" Included="true" /> <Service Code="1" ProximityCode="1" Included="true" /> </pre> |
|--|---|

List:

- | | |
|-----------------------------------|----------------------------|
| 68-Parking | 42-Free parking |
| 53-Indoor parking | 68-Parking |
| 42-Free parking | 192- Bus parking (2005A) |
| 113-120 AC | 53-Indoor parking |
| 115-220 AC | 8-Baby sitting |
| 97-Valet parking | 68-Parking |
| 92-Translation services | 42-Free parking |
| 91-Tour/sightseeing desk | 1-24-hour front desk |
| | 218- Children welcome |
| 83-Solarium | (2005B) |
| 66-Outdoor pool | 45-Gift/News stand |
| 54-Indoor pool | 103-Multilingual staff |
| 76-Restaurant | 224- Pets allowed (2005B) |
| 54-Indoor pool | 55-Jacuzzi |
| 49-Heated pool | 42-Free parking |
| 66-Outdoor pool | 56-Jogging track |
| | 223- Internet services |
| 218- Children welcome (2005B) | (2005B) |
| 193- Children's Play Area (2005A) | 15-Car rental desk |
| 218- Children welcome (2005B) | 52-Ice machine |
| 79-Sauna | 61-Massage services |
| 44-Game room | 191- Ballroom (2005A) |
| 165-Lounges/bars | 28-Doctor on call |
| 68-Parking | 49-Heated pool |
| 39-Florist | 33 - Elevator |
| 37-Express check-out | 16-Casino |
| 36-Express check-in | 7-ATM/Cash machine |
| 4-Adjoining rooms | 26-Currency exchange |
| 22-Concierge desk | 62-Nightclub |
| 78-Safe deposit box | 20-Coffee shop |
| 218- Children welcome (2005B) | 107-Beauty shop/salon |
| 42-Free parking | 72-Poolside snack bar |
| 195- Disco (2005A) | 93-Travel agency |
| | 41-Free airport shuttle |
| 68-Parking | 106-Bell staff/porter |
| 193- Children's Play Area (2005A) | 93-Travel agency |
| | 179-Wireless internet |
| 6-Airline desk | connection in public areas |

3.5 Business services

OTA correspondence : BUS

Hotel services details:

- **Proximity code** = "1" if the service is inside the hotel, = "2" if the service is outside the hotel
- **Included** : = "true" if the service is free, = "false" if the service is paying

When the information exists, there is an included flag permit to specify that the service is free or paying.

| Segment | Services |
|---------|---|
| Field | Service Code |
| Example | <pre> <Service BusinessServiceCode="46" ProximityCode="1" Included="true" /> <Service BusinessServiceCode="96" ProximityCode="1" /> <Service BusinessServiceCode="49" ProximityCode="1" Included="true" /> </pre> |

List:

- 9 - Outgoing fax complimentary
- 2-Copier
- 49-Secretarial services
- 41-Computer rental
- 52 -Incoming fax complimentary
- 37- Audio visual equipment
- 39-Business centre
- 96- Meeting facilities (2005B)
- 49-Secretarial services
- 48-Overhead projector
- 46-Meeting/board rooms
- 40-Cellular phone rental

4 MEETING ROOMS

We have added a new ID field to identify by a number each meeting room.

| | | | |
|--|--|---------|---|
| Segment | FacilityInfo | | |
| Total number of meeting rooms | | | |
| Field | MeetingRoomCount | Exemple | MeetingRooms MeetingRoomCount="15" |
| Field | ID | Exemple | ID="MEET001" |
| Surface in m2 of the smallest meeting room | | | |
| Field | SmallestRoomSpace | Exemple | SmallestRoomSpace="20" |
| Surface in m2 of the biggest meeting room | | | |
| Field | LargestRoomSpace | Exemple | LargestRoomSpace="240" |
| Meeting Room with the largest capacity (people sitting) | | | |
| Field | LargestSeatingCapacity | Exemple | LargestSeatingCapacity="400" |
| Meeting Room with the smallest capacity (people sitting) | | | |
| Field | SmallestSeatingCapacity | Exemple | SmallestSeatingCapacity="20" |
| Total seating capacity in all rooms | | | |
| Field | TotalRoomSeatingCapacity | Exemple | TotalRoomSeatingCapacity="188"> |
| Meeting room name | | | |
| Field | MeetingRoom RoomName | Exemple | MeetingRoom RoomName="AZALEE B |
| Maximum number of people the room can accomodate | | | |
| Field | MeetingRoomCapacity | Exemple | MeetingRoomCapacity="20" |
| Surface in m2 of the meeting room | | | |
| Field | Dimension Area | Exemple | Dimension Area="120.0" |
| Ceiling height of the room in meters | | | |
| Field | Height | Exemple | Height="2.5" Units="Meters" |
| Space organization of the room | | | |
| Field | MeetingRoomCapacity MeetingRoomFormatCode | Exemple | MeetingRoomCapacity MeetingRoomFormatCode="1"> |
| Maximum number of people possible according to the chosen code format | | | |
| Field | Occupancy MaxOccupancy | Exemple | Occupancy MaxOccupancy="150" |
| Descriptive text of the room (multi language field) | | | |
| Field | <Description> <Text Language | Exemple | <Description> <Text Language="en">Meeting room situated on the ground floor of the hotel equipped with overhead projector and screen.</Text> |

Format code list:

- 1-Banquet
- 8- Boardroom
- 2-Classroom
- 3-Conference
- 9- Open Square
- 7-Reception
- 5-Theatre
- 6-U Shape

5 ROOMS

5.1 Room codes

| | |
|---------|----------------------|
| Segment | GuestRooms |
| Field | GuestRoom Code |
| Example | GuestRoom Code="D2B" |
| Field | ID |
| Example | ID="D2B" |

5.2 Room name and description

Multi lingual fields.

5.2.1 Room short name

It doesn't exceed 32 characters.

| | |
|---------|--|
| Segment | GuestRooms |
| Field | TypeRoom Name |
| Example | TypeRoom Name="Room for 1 to 2 persons NS" |

5.2.2 Room description

| | |
|---------|---|
| Segment | GuestRooms |
| Field | Description |
| Example | <Description> <Text Language="en">Non Smoking Room for 1 to 2 persons</Text> |

5.3 Room attributs

5.3.1 View

OTA correspondence : RVT

| | |
|---------|-------------------|
| Segment | GuestRooms |
| Field | RoomViewCode |
| Example | RoomViewCode="10" |

List:

- 2-Bay view
- 15-Beach view
- 3-City view
- 4-Courtyard view
- 16-Garden view
- 5-Golf view
- 6-Harbor view
- 8-Lake view
- 9-Marina view
- 10-Mountain view
- 11-Ocean view
- 17-Park view
- 12-Pool view
- 13-River view

5.3.2 Bedding

OTA correspondence : BED

| | |
|---------|-----------------|
| Segment | GuestRooms |
| Field | BedTypeCode |
| Example | BedTypeCode="3" |

List:

- 1-Double
- 3-King
- 5-Queen
- 9-Single
- 6-Sofa bed
- 8-Twin

5.3.3 Room classification

OTA correspondence : GRI

| | |
|---------|----------------------------|
| Segment | GuestRooms |
| Field | RoomClassificationCode |
| Example | RoomClassificationCode="3" |

List:

- 13- Apartments
- 4- Bungalows and villas
- 3- Suites

5.3.4 Room category

| | |
|---------|------------------|
| Segment | GuestRooms |
| Field | RoomCategory |
| Example | RoomCategory="4" |

List:

- 4-Deluxe
- 16-Standard

5.4 Room occupancy

5.4.1 Max occupancy

Maximum number of people in the room.

| | |
|---------|------------------|
| Segment | GuestRooms |
| Field | MaxOccupancy |
| Example | MaxOccupancy="4" |

5.4.2 Max adult occupancy

Maximum number of adults in the room.

| | |
|---------|-----------------------|
| Segment | GuestRooms |
| Field | MaxAdultOccupancy |
| Example | MaxAdultOccupancy="4" |

5.4.3 Max children occupancy

Maximum number of children in the room.

| | |
|---------|------------------------|
| Segment | GuestRooms |
| Field | MaxChildOccupancy |
| Example | MaxChildOccupancy="1"> |

5.5 Room facilities

Room facilities listed in this file are for all rooms. We have used the segment RoomTypeCode =ALL which means facilities for all rooms.

Ex : <GuestRoom> <TypeRoom RoomTypeCode="ALL" />

5.5.1 Free facilities

Charge type = « Inclusive ». IncludedInRateIndicator = « true »

| | |
|---------|--|
| Segment | Amenities |
| Field | RoomAmenityCode Charge Type |
| Example | <pre> <Amenity RoomAmenityCode=" 210 " IncludedInRateIndicator=" true "> <OperationSchedules> <OperationSchedule> <Charge Type="Inclusive" /> </OperationSchedule> </OperationSchedules> </Amenity> </pre> |

5.5.2 Paying facilities

Charge type = « Exclusive ».
IncludedInRateIndicator = « false »

| | |
|---------|--|
| Segment | Amenities |
| Field | RoomAmenityCode Charge Type |
| Example | <pre> <Amenity RoomAmenityCode="26" IncludedInRateIndicator="false"> <OperationSchedules> <OperationSchedule> <Charge Type="Exclusive" /> </OperationSchedule> </OperationSchedules> </pre> |

List :

| | |
|-----------------------------------|-----------------------------------|
| 123-Wireless internet connection | 50-Hairdryer |
| 119-Wake-up calls | 45-Free local calls |
| 142-Shower | 55-Iron |
| 111-Trouser/Pant press | 38-Fax machine |
| 178- Calling card calls | 59-Kitchen |
| 74-Non-smoking | 31-Direct dial phone number |
| 69-Minibar | 25-Cordless phone |
| 68-Microwave | 210- Satellite television (2005B) |
| 26-Cribs | 205- Free newspaper (2005B) |
| 92-Safe | 20-Color television |
| 51-High speed internet connection | 18-Cable television |
| 13-Bathtub | 19-Coffee/Tea maker |
| 3-Alarm clock | 118-Voice mail |
| 2-Air conditioning | 16-Bidet |

5.6 General room description

OTA correspondence : GRI

5.6.1 Non smoking rooms

| | |
|---------|---|
| Segment | CategoryCodes |
| Field | GuestRoomInfo Code |
| Example | <GuestRoomInfo Code="2" Quantity="28"> |

5.6.2 Family rooms

| | |
|---------|---|
| Segment | CategoryCodes |
| Field | GuestRoomInfo Code |
| Example | <GuestRoomInfo Code="36" Quantity="2"> |

5.6.3 Connecting rooms/Suites

| | |
|---------|--|
| Segment | CategoryCodes |
| Field | GuestRoomInfo Code |
| Example | <GuestRoomInfo Code="35" Quantity="2"> |

5.6.4 Reduced mobility rooms

| | |
|---------|---------------------------------------|
| Segment | CategoryCodes |
| Field | GuestRoomInfo Code |
| Example | <GuestRoomInfo Code="1" Quantity="2"> |

5.6.5 Total number of suites

| | |
|---------|---------------------------------------|
| Segment | CategoryCodes |
| Field | GuestRoomInfo Code |
| Example | <GuestRoomInfo Code="3" Quantity="2"> |

5.6.6 Total number of bungalows and villas

| | |
|---------|--|
| Segment | CategoryCodes |
| Field | GuestRoomInfo Code |
| Example | <GuestRoomInfo Code="4" Quantity="20"> |

5.6.7 Total number of rooms and suites

| | |
|---------|---|
| Segment | CategoryCodes |
| Field | GuestRoomInfo Code |
| Example | <GuestRoomInfo Code="28" Quantity="350"> |

6 RESTAURANTS AND BARS

6.1 Identifiant number

The ID fields permit to identify by a combination R001 or B001 the identifying code of each Restaurant or bar.

This ID is unique and could not be used for different restaurants or bars.

| | |
|---------|------------|
| Segment | Restaurant |
| Field | ID |
| Exemple | ID="R001" |

6.2 Bar name /Restaurant name

| | |
|---------|-----------------------------------|
| Segment | Restaurant |
| Field | RestaurantName |
| Example | Restaurant RestaurantName="ARENA" |

6.3 Max seating capacity

| | |
|---------|--------------------------|
| Segment | Restaurant |
| Field | MaxSeatingCapacity |
| Example | MaxSeatingCapacity="132" |

6.4 Restaurant /Bar location

All Bars and restaurants are in the hotel.

| | |
|---------|-------------------|
| Segment | Restaurant |
| Field | ProximityCode |
| Example | ProximityCode="1" |

On site = 1
Close by = 2

6.5 Operation time

| | |
|---------|---|
| Segment | OperationSchedules |
| Field | OperationTime |
| Example | <pre>= <OperationTimes> <OperationTime Mon="true" /> <OperationTime Tue="true" /></pre> |

| | |
|--|--|
| | <pre> <OperationTime Weds="true" /> <OperationTime Thur="true" /> <OperationTime Fri="true" /> <OperationTime Sat="true" /> <OperationTime Sun="true" /> </OperationTimes> </OperationSchedule> </OperationSchedules> </pre> |
|--|--|

True = opened

If the restaurant / bar is closed one or more than one day during the week, these days are not in the segment.

6.6 Children menu

| | |
|---------|-----------------------------|
| Segment | SrvclInfoCodes |
| Field | SrvclInfoCode Code |
| Example | <SrvclInfoCode Code="13" /> |

6.7 Restaurant/Bar category

| | |
|---------|--|
| Segment | <InfoCodes> |
| Field | <InfoCode Code name="RestaurantCategory" /> |
| Example | <InfoCode Code="13" Name="RestaurantCategory" /> |

List:

- 4-Cafe
- 13- Bar/Lounge
- 14- Brasserie

6.8 Cooking type

| | |
|---------|---|
| Segment | CuisineCodes |
| Field | CuisineCode Code |
| Example | <CuisineCode Code="49" IsMain="true" /> |

IsMain="true" : means the main cooking type

List :

6.9 Restaurant/Bar description

Multi lingual field.

| | |
|---------|---|
| Segment | RestaurantDescription |
| Field | Text Language |
| Example | <pre><RestaurantDescription> <Text Language="de">Modernes Restaurant mit kostenlosem Internetzugang.</Text> <Text Language="es">Restaurante de estilo moderno. Acceso gratuito a internet.</Text> <Text Language="en">Modern style restaurant, complimentary Internet access.</Text> <Text Language="it">Ristorante in stile moderno, accesso Internet gratuito.</Text> <Text Language="nl">Modern restaurant met gratis internettoegang.</Text> <Text Language="pt">Restaurante de estilo moderno. Acceso gratuito à Internet.</Text> </RestaurantDescription></pre> |

7 CENTERS OF INTEREST

7.1 Geographical center of interest

| | |
|---------|---|
| Segment | ArealInfo |
| Field | RefPoints |
| Example | <pre>ArealInfo> <RefPoints> <RefPoint Direction="N" Distance="26.0" DistanceUnitName="Km" PrimaryIndicator="true" IndexPointCode="6" Name="SCL" ToFrom="FromFacility" /></pre> |

7.1.1 List of geographical center of interest:

Closest airport: 6- Airport with @PrimaryIndicator = True

Secondary airports: 6- Airport with @PrimaryIndicator = False

Closest city (Primary city): 5- City with @PrimaryIndicator = True

Nearest major city: 12- Nearest major city and @Nearest = True

Nearest rail station: 7- Rail station with @Nearest = True

Other rail stations: 7- Rail station

Nearest subway station: 8-Subway station with @Nearest = True

Other subway stations: 8- Subway station

Nearest Bus/Coach station: 10- Bus/Coach station (2005A) with @Nearest = True

Other Bus/Coach station: 10- Bus/Coach station

Highway: .3- Highway

Heliport: 14- Heliport

7.1.2 Airport

For the same code OTA_6 you will find the airport IATA code and the name of the Airport.

| | |
|---------|--|
| Segment | ArealInfo |
| Field | RefPoints |
| Example | <pre> : RefPoint Direction="N" Distance="26.0" DistanceUnitName="Km" PrimaryIndicator="true" IndexPointCode="6" Name="SCL" ToFrom="FromFacility" /> <RefPoint Direction="N" Distance="26.0" DistanceUnitName="Km" PrimaryIndicator="true" IndexPointCode="6" Name="ARTURO MERINO BENIT" ToFrom="FromFacility" /> </pre> |

7.1.3 Nearest city/major city

For Paris the nearest city and nearest major city will be Paris.

But for another cities as Grenoble for example, the nearest major city will be Lyon.

As per Airports you will have the IATA code and the name of the city

| | |
|---------|--|
| Segment | ArealInfo |
| Field | RefPoints |
| Example | <pre> <RefPoint Direction="NW" Distance="120.0" DistanceUnitName="Km" IndexPointCode="12" Name="KNA" ToFrom="FromFacility" /> <RefPoint Direction="NW" Distance="120.0" DistanceUnitName="Km" IndexPointCode="12" Name="VALPARAISO" ToFrom="FromFacility" /> <RefPoint Direction="SW" Distance="9.0" DistanceUnitName="Km" PrimaryIndicator="true" IndexPointCode="5" Name="SCL" ToFrom="FromFacility" /> <RefPoint Direction="SW" Distance="9.0" DistanceUnitName="Km" PrimaryIndicator="true" IndexPointCode="5" Name="SANTIAGO" ToFrom="FromFacility" /> </pre> |

7.1.4 Indicators detail

*Primary indicator =True: mean major

*L'indicateur Primary indicator =False: means secondary

*Nearest =True: means the nearest

*ToFrom="FromFacility": means from the center of interest to the hotel in term of direction

7.1.5 Center of interest location

Localisation of the interest center with the field Direction, Distance and DistanceUnitName
Information of the distance in the field DistanceUnitName

| | |
|---------|---|
| Segment | RefPoints |
| Field | Direction |
| Example | <code><RefPoint Direction="NW" Distance="120.0" DistanceUnitName="Km"</code> |

7.1.6 Name of the center of interest

| | |
|---------|---|
| Segment | RefPoints |
| Field | Name |
| Example | <code>Name="ARTURO MERINO BENIT"</code> |

7.2 Center of interest : Attraction type

| | |
|---------|--|
| Segment | Attractions |
| Field | AttractionCategoryCodeID |
| Example | <code><Attraction ID="ACC001" AttractionCategoryCode="3" AttractionName="AQUARIUM DE MARINA"> <RefPoints> <RefPoint Direction="SE" Distance="2.6" DistanceUnitName="Km" IndexPointCode="11" ToFrom="FromFacility"> <Transportations> <Transportation TransportationCode="17" /> </Transportations> </RefPoint> </RefPoints></code> |

List:

- | | |
|-----------------------|----------------------|
| 84- Army base (2005B) | 57-Zoo |
| 45-Ski area | 24-Hospital |
| 90 Botanical Garden | 2-Amusement park |
| 12-Casino | 46-Stadium |
| 17-Convention center | 9-Business location |
| 3-Aquarium | 53-University |
| 15-Concert hall | 99- Company |
| 50- Theatre/cinema | 23-Historic building |
| 32-Museum | 5-Beach |
| 44-Shopping mall | |

7.2.1 First center of interest for the hotel

This center of interest is displayed with the attribute Sort="1".

| | |
|---------|--|
| Segment | Attractions |
| Field | AttractionCategoryCode="87" Sort="1" |
| Exemple | <pre><Attraction ID="ACC007" AttractionCategoryCode="87" AttractionName="THALASS'EAU THERAPIE" Sort="1"> <RefPoints> <RefPoint Direction="N" Distance="0.01" DistanceUnitName="Km" IndexPointCode="11" ToFrom="FromFacility" /> </RefPoints> </Attraction></pre> |

7.2.2 Shuttle between center of interest and hotel

7.2.2.1 FOR GEOGRAPHICAL CENTERS OF INTEREST

| | |
|---------|---|
| Segment | RefPoint |
| Field | TransportationCode |
| Example | <pre><RefPoint Direction="N" Distance="1.0" DistanceUnitName="Km" PrimaryIndicator="true" IndexPointCode="6" Name="CDG" ToFrom="FromFacility"> : <Transportations> <Transportation TransportationCode="17" /></pre> |

*Transportation code = 17 means shuttle

7.2.2.2 FOR ATTRACTION CENTERS OF INTEREST

| | |
|---------|--|
| Segment | Attraction |
| Field | Transportation TransportationCode="17" |
| Example | <pre>Attraction AttractionCategoryCode="2" AttractionName="DISNEYLAND"> : <RefPoints> : <RefPoint Direction="W" Distance="25.0" DistanceUnitName="Km" IndexPointCode="11" ToFrom="FromFacility"> : <Transportations> <Transportation TransportationCode="17" /></pre> |

8 RECREATIONAL ACTIVITIES

- *Proximity code = 1 means on site
- *Proximity code = 2 means close by
- *Included="true" means the activity is free
- *Included = False means the activity is paying

| | |
|---------|--|
| Segment | Recreation |
| Field | Recreation Code |
| Example | <pre><Recreation Code="20" ProximityCode="2" Included="false" /> <Recreation Code="156" ProximityCode="1" Included="true" /></pre> |

List:

- 110-Water activities
- 62-Indoor tennis courts
- 71-Outdoor tennis courts
- 156- Ski in/out facilities
- 88-Snow skiing
- 7-Boating
- 88-Snow skiing
- 82-Scuba diving
- 5-Beach
- 27-Golf
- 67-Miniature golf
- 38-Lessons available (GOLF)
- 27-Golf
- 20-Fishing
- 61-Horseback riding
- 7-Boating
- 98-Volleyball
- 88-Snow skiing
- 9-Bowling alley

9 TAXES

Taxes list used by the hotel

9.1 Taxe codes

| Segment | TaxPolicies |
|---------|--|
| Field | Code |
| Example | <pre> TaxPolicies> <TaxPolicy Type="Inclusive" Code="3" ChargeUnit="21" Amount="150" DecimalPlaces="2" CurrencyCode="EUR" EffectiveDate="2007-01-01" ExpireDate="2050-12-31" /> <TaxPolicy Code="7" Percent="11.00" ChargeUnit="19" EffectiveDate="2007-01-01" ExpireDate="2007-12-31" /> <TaxPolicy Code="4" Percent="12.00" ChargeUnit="19" EffectiveDate="2007-01-01" ExpireDate="2007-12-31" /> </TaxPolicies> </pre> |

List:

- 2-City hotel fee
- 3-City tax
- 4-County tax
- 7- Food & beverage tax
- 12-Resort fee
- 14-Service charge
- 18-Tourism Tax
- 19-VAT/GST tax
- 27- Miscellaneous
- 30-Country tax
- 33-Room Service fee
- 34-Local fee
- 35-Goods and services tax (GST)
- 41-Not known

9.2 Tax unit

| | |
|---------|--|
| Segment | TaxPolicies |
| Field | ChargeUnit |
| Example | <pre> TaxPolicies> <TaxPolicy Type="Inclusive" Code="3" ChargeUnit="21" Amount="150" DecimalPlaces="2" CurrencyCode="EUR" EffectiveDate="2007-01-01" ExpireDate="2050-12-31" /> <TaxPolicy Code="7" Percent="11.00" ChargeUnit="19" EffectiveDate="2007-01-01" ExpireDate="2007-12-31" /> <TaxPolicy Code="4" Percent="12.00" ChargeUnit="19" EffectiveDate="2007-01-01" ExpireDate="2007-12-31" /> </TaxPolicies> </pre> |

Tax units :

- 19- Per room per night
- 21- Per person per night
- 18- Per room per stay
- 20- Per person per stay

9.3 The consideration of taxes

Only the Lodging type of taxes, valid at the sending time or to be valid in the futur is displayed in the hotel content.

9.4 Tax value

Taxes are indicated in amount, percentage or are included.

9.4.1 Included

In any case, even if the tax is included, the value will be displayed

2 options :

- With expression unit precise: field Charge Unit
- Without expression unit precise

| | |
|---------|--|
| Segment | TaxPolicies |
| Field | Type |
| Example | TaxPolicy Type="Inclusive" Code="7" |
| Example | <TaxPolicy Type="Inclusive" Code="3" ChargeUnit="21" |

9.4.2 Tax in amount

Precision about taxes: amount, currency and decimal place.

| | |
|---------|--|
| Segment | TaxPolicies |
| Field | Amount DecimalPlaces CurrencyCode |
| Example | <code><Policy Code="3" Amount="070" DecimalPlaces="2" CurrencyCode="EUR"</code> |

9.4.3 Tax in percentage

| | |
|---------|---|
| Segment | TaxPolicies |
| Field | Percent |
| Example | <code><TaxPolicy Code="7" Percent="11.00" ChargeUnit="19"</code> |

9.4.4 Validity period of taxes

EffectiveDate means begin date

ExpireDate means end date

| | |
|---------|---|
| Segment | TaxPolicies |
| Field | EffectiveDate ExpireDate |
| Example | <code>Policy Code="7" Percent="11.00" ChargeUnit="19" EffectiveDate="2007-01-01" ExpireDate="2007-12-31" /></code> |

9.4.5 Tax description

Multi lingual field.

| | |
|---------|--|
| Segment | TaxDescription |
| Field | Text Language |
| Example | <pre><TaxDescription> <Text Language="de">AUSSCHLIESSLICH lokale Gäste müssen 19% Steuern zahlen.</Text> <Text Language="es">El hotel cobra el 19% de impuestos SOLAMENTE para huéspedes locales.</Text> <Text Language="fr">Application de la taxe à 19% pour la clientèle locale UNIQUEMENT.</Text> <Text Language="en">The hotel charges taxes of 19% for local guests ONLY.</Text> <Text Language="it">L'hotel applica una tassa del 19% SOLO per gli ospiti locali.</Text> <Text Language="nl">Lokale belastingen van 19% gelden uitsluitend voor Brazilianen.</Text> <Text Language="pt">O hotel cobra 19% de taxas SOMENTE para hóspedes locais.</Text> </TaxDescription></pre> |

10 SALES CONDITIONS

10.1 Check in policy

Multi lingual field.

| | |
|---------|--|
| Segment | Policy |
| Field | CheckInTime |
| Example | <pre>Policy> <PolicyInfo CheckInTime="12:00:00"> <Description> <Text Language="de">Check-in ab 12:00</Text> <Text Language="it">Orario di check-in 12:00</Text> <Text Language="pt">Horário do check-in 12:00</Text> <Text Language="es">Hora min llegada 12:00</Text> <Text Language="en">Check-in time 12:00</Text> <Text Language="fr">Heure d'arrivée 12:00</Text> </Description> </PolicyInfo> </Policy></pre> |

10.2 Check out policy

Multi lingual field.

| | |
|---------|--|
| Segment | Policy |
| Field | CheckOutTime |
| Example | <pre><PolicyInfo CheckOutTime="12:00:00"> <Description> <Text Language="de">Check-out bis 12:00</Text> <Text Language="it">Orario di check-out 12:00</Text> <Text Language="pt">Horário do check-out 12:00</Text> <Text Language="es">Hora max salida 12:00</Text> <Text Language="en">Check-out time 12:00</Text> <Text Language="fr">Heure de départ 12:00</Text> </Description> </PolicyInfo></pre> |

10.3 Children policy

Multi lingual field.

10.3.1 No children policy

Children are accepted but considered as adults.

| | |
|---------|----------------------|
| Segment | PolicyInfo |
| Field | KidsStayFree |
| Example | KidsStayFree="false" |

10.3.2 Children policy

Children benefit from a discount on room and breakfast.

10.3.2.1 ROOM FREE FOR CHILDREN

| | |
|---------|---------------------|
| Segment | PolicyInfo |
| Field | KidsStayFree |
| Example | KidsStayFree="true" |

This status is completed by the max age beyond that room will be paying.

| | |
|---------|-----------------------------|
| Segment | PolicyInfo |
| Field | UsualStayFreeCutoffAge |
| Example | UsualStayFreeCutoffAge="11" |

10.3.2.2 ROOM IS PAYING FOR CHILDREN

| | |
|---------|----------------------|
| Segment | PolicyInfo |
| Field | KidsStayFree |
| Example | KidsStayFree="false" |

This status is completed by the max age beyond that room will be paying.

| | |
|---------|------------------|
| Segment | PolicyInfo |
| Field | MaxChildAge |
| Example | MaxChildAge="15" |

10.3.3 Children policy description

Multi lingual field.

| | |
|---------|--|
| Segment | PolicyInfo |
| Field | Description |
| Example | Description> Text Language="de">Übernachtung kostenfrei für 1 Kind unter 12 Jahre im Zimmer der Eltern, 50.00% Rabatt auf den Frühstückspreis.</Text> Text Language="it">Sistemazione è gratuita per 1 bambino sotto 12 anni in camera dei |

| | |
|--|--|
| | <p>genitori, uno sconto del 50.00% per la colazione.</Text> <Text Language="pt">Hospedagem grátis para 1 criança menor de 12 anos no mesmo quarto dos pais e desconto de 50.00% no valor do café da manhã.</Text></p> |
|--|--|

10.4 Cancellation policy

10.4.1 Validity period

| | |
|---------|--|
| Segment | PolicyInfo |
| Field | Policy StartEnd |
| Exemple | <Policy Start="2006-10-24" End="2050-12-31"> : <CancelPolicy> |

10.4.2 Associate number to the cancelation policy

Even if there is only one cancelation policy for a period in an hotel, differents parts can exist, so there is one identifiant number by part.

| | |
|---------|----------------------|
| Segment | CancelPenalty |
| Field | PolicyCode |
| Exemple | PolicyCode="CLX000"> |

10.4.3 Description text

Multi lingual field.

| | |
|---------|---|
| Segment | CancelPenalty |
| Field | PenaltyDescription |
| Example | <CancelPenalty> : <PenaltyDescription> <Text Language="de">Kostenfreie Stornierung bis 18:00 (Ortszeit) am Anreisetag. Danach, wird die erste Nacht berechnet.</Text> <Text Language="it">Nessuna penalità di cancellazione prima delle, 18:00 (ora locale) del giorno di arrivo. Oltre tale tempo, prima notte addebitata.</Text> <Text Language="pt">Não haverá cobrança de taxa antes das 18:00 (h local) da data de chegada. Após esse prazo, hotel cobra o valor da primeira diária.</Text> <Text Language="es">Sin cargo por anulación antes de 18:00 (hora local) el día de la llegada. Pasado este plazo, el hotel cobrará la primera noche.</Text> <Text Language="en">No cancellation charge applies prior to 18:00 (local time) on the day of arrival. Beyond that time, the first night will be charged.</Text> <Text Language="fr">Annulation sans frais jusqu'au jour de l'arrivée, 18:00 (Heure locale). Au delà, l'hôtel facture la première nuit.</Text> </PenaltyDescription> |

10.4.4 Variables

Be careful: the following fields are only completed when the cancellation policy turns on one time

Ex: Full deposit is not refundable even if the booking is cancelled or modified.

These fields will be empty when the cancellation policy turns on 2 or 3 times

Ex: No cancellation charge applies prior to 18:00 (local time), up to 1 day prior to arrival. Beyond that time, the first night will be charged.

10.4.4.1 CANCELLATION DEADLINE HOUR

| | |
|---------|--------------------------------------|
| Segment | CancelPenalty |
| Field | Deadline AbsoluteDeadline |
| Example | Deadline AbsoluteDeadline="23:59:00" |

10.4.4.2 NUMBER OF DAYS BEFORE ARRIVAL

| | |
|---------|--|
| Segment | CancelPenalty |
| Field | OffsetTimeUnit OffsetDropTime OffsetUnitMultiplier |
| Example | OffsetTimeUnit="Day" OffsetDropTime="BeforeArrival" OffsetUnitMultiplier="1" |

10.4.4.3 PENALTY AMOUNT IN CASE OF CANCELLATION

| | |
|---------|---|
| Segment | CancelPenalty |
| Field | AmountPercent Percent AmountPercent Amount= CurrencyCode= AmountPercent NmbrOfNights |
| Example | AmountPercent Percent="100.00" AmountPercent Amount="15.00" CurrencyCode="CNY" AmountPercent NmbrOfNights="1" |

If the cancellation policy contains several parts, each one will be displayed with correct information and the global descriptive.

10.5 Guarantee policy

10.5.1 Validity period

| | |
|---------|--|
| Segment | Policy |
| Field | Policy Start End |
| Example | <Policy Start="2003-11-26" End="2030-12-31"> : <GuaranteePaymentPolicy> |

10.5.2 Guarantee type

| | |
|---------|----------------------|
| Segment | GuaranteePayment |
| Field | GuaranteeType |
| Example | GuaranteeType="None" |

3 guarantee types :

- Guarantee free (until 06 :00 PM for example)
- Guarante mandatory
- Deposit mandatory

10.5.2.1 GUARANTEE FREE

Field « Hold time » is completed by the limit hour without guarantee. Beyond that time, a guarantee is mandatory.

| | |
|---------|---|
| Segment | GuaranteePayment |
| Field | GuaranteeType HoldTime |
| Exemple | GuaranteeType="None" HoldTime="18:00:00" |

10.5.2.2 GUARANTEE MANDATORY

| | |
|---------|-----------------------------------|
| Segment | GuaranteePayment |
| Field | GuaranteeType |
| Example | GuaranteeType="GuaranteeRequired" |

10.5.2.3 DEPOSIT MANDATORY

Deposit can be requested :

- ✚ x days(s) after the booking date
- ✚ x days(s) before check in date

10.5.2.3.1 Deposit x day(s) after reservation date

You will find the information in the following segment: **Deadline OffsetDropTime = After booking**

In the following segments **OffsetTimeUnit et OffsetUnitMultiplier**, we precise the maximum number of days after booking date where the client have to guarantee the booking by a deposit.

| | |
|---------|--|
| Segment | GuaranteePayment |
| Field | GuaranteeType <Deadline OffsetDropTime OffsetTimeUnit OffsetUnitMultiplier |
| Example | GuaranteeType="Deposit" Deadline OffsetDropTime= "AfterBooking" OffsetTimeUnit= "Day" OffsetUnitMultiplier= "5" |

10.5.2.3.2 Deposit x day(s) before check in

| | |
|---------|--|
| Segment | GuaranteePayment |
| Field | GuaranteeType <Deadline OffsetDropTime OffsetTimeUnit OffsetUnitMultiplier |
| Example | GuaranteeType="Deposit" <Deadline OffsetDropTime= "BeforeArrival" OffsetTimeUnit= "Day" OffsetUnitMultiplier= "1" |

10.5.2.3.3 Deposit value

- ✚ amount Ex : **AmountPercent Amount="150.00" CurrencyCode="CNY"**
- ✚ nights Ex : **<AmountPercent NmbrOfNights="3"**
- ✚ percentage of stay Ex : **<AmountPercent Percent="50.00"**

| | |
|---------|--|
| Segment | GuaranteePayment |
| Field | GuaranteeType AmountPercent |
| Example | GuaranteeType="Deposit" <AmountPercent Percent="50.00" <AmountPercent NmbrOfNights="3" AmountPercent Amount="150.00" CurrencyCode="CNY" |

10.5.2.4 WEEK DAYS OF THE GUARANTEE POLICY

Management of the valid days concerned by the guarantee policy.
Day= true means that the guarantee policy is applied to this day.

| | |
|---------|---|
| Segment | GuaranteePayment |
| Field | Mon..... |
| Exemple | Mon="true" Tue="true" Weds="true" Thur="true" Fri="true" Sat="true" Sun="true" |

10.5.2.5 GUARANTEE POLICY DESCRIPTION

| | |
|---------|---|
| Segment | Description |
| Field | Text Language |
| Example | <code><Text Language="en">Guests arriving after 18:00 (local time) must provide a guarantee.</Text></code> <code>Text Language="fr">En cas d'arrivée tardive, au delà de 18:00 (heure locale), la réservation doit être garantie.</Text></code> |

10.5.3 Guarantee and payments

10.5.3.1 LIST OF GUARANTEES AND PAYMENTS

List of credit cards :

Japan Credit Bureau
Discovery
Switch card
Million Credit Service
IK/Mastercard (All & GDS)
Access Card
Diners Club
Carte Blanche
BankAmericard/Visa
Barclays Bank/Visa
American Express
Bangkok Metropolitan Bank Card
Australian Bank Card
Visa
Choice
Carta Si
Fly Buys NZ
Mastercard
Euro/Mastercard (All & GDS)
Braniff Fastcharge

Other guarantees and payments :

5-Credit card
28- Wire payment (2005A)
3-Voucher
24- Guest name/address (2005A)
13-Personal check
14- Money order
17-Miscellaneous charge order
19- Travel Agency IATA (2005A)
1-Cash
30- Corporate ID/CD number (2005A)
21- Club membership ID (2005A)
12-Business check
20- Certified check (2005A)
14- Money order
29- Company name/address (2005A)
26- Tour order (2005)
27- Traveller's check (2005A)
18- Travel agency name/address (2005A)



10.5.3.2 GUARANTEE METHODS

The type precised in the file is "GuaranteePolicy".
Credit cards are listed under OTA code 5.

| Segment | GuaranteePayment |
|---------|--|
| Field | PaymentCode Type |
| Example | <pre> </GuaranteePayment> <GuaranteePayment PaymentCode="20" Type="GuaranteePolicy" /> <GuaranteePayment PaymentCode="5" Type="GuaranteePolicy"> <AcceptedPayments> <AcceptedPayment> <PaymentCard CardCode="AX" /> </AcceptedPayment> <AcceptedPayment> <PaymentCard CardCode="CA" /> </AcceptedPayment> <AcceptedPayment> <PaymentCard CardCode="DC" /> </AcceptedPayments> </GuaranteePayment> </pre> |



10.5.3.3 PAYMENT METHODS

Their type is « AcceptedPaymentForms ». Credit cards are listed under OTA code 5.

| Segment | GuaranteePayment |
|---------|---|
| Field | PaymentCode Type |
| Example | <pre> <GuaranteePayment PaymentCode="20" Type="AcceptedPaymentForms" /> <GuaranteePayment PaymentCode="1" Type="AcceptedPaymentForms" /> <GuaranteePayment PaymentCode="3" Type="AcceptedPaymentForms" /> <GuaranteePayment PaymentCode="27" Type="AcceptedPaymentForms" /> <GuaranteePayment PaymentCode="5" Type="AcceptedPaymentForms"> <AcceptedPayments> <AcceptedPayment> <PaymentCard CardCode="AX" /> </AcceptedPayment> <AcceptedPayment> <PaymentCard CardCode="CA" /> </AcceptedPayments> </GuaranteePayment> </pre> |



11 OTHER INFORMATIONS

11.1 Pets accepted in the hotel

No difference will be made on the type of pets accepted.
If the hotel accepts pets, the segment PetsPolicy will be generated.

| | |
|---------|--|
| Segment | PetsPolicy |
| Field | PetsPolicyCode Description |
| Exemple | <pre> <PetsPolicies> <PetsPolicy PetsPolicyCode="7"> <Description> <Text Language="en">Small pets are accepted and paying</Text> </Description> </PetsPolicy> </PetsPolicies> </pre> |

11.2 Breakfast amount display

As indicative information, we display the amount of breakfast

| | |
|---------|---|
| Segment | BreakfastPrices |
| Field | BreakfastPrice Amount - CurrencyCode |
| Exemple | <pre> <BreakfastPrices><BreakfastPrice amount="21.95" currencyCode="EUR"/></BreakfastPrices> </pre> |

11.3 BAR display

The BAR and WAR are updated for each sending of the hotel content or once a month manually.
The BAR is the cheaper rate of the next 7 nights for 1 and 2 persons and is only display in the hotel currency.
The WAR is the higher rate of the next 7 nights for 1 and 2 persons and is only display in the hotel currency.

| | |
|---------|--|
| Segment | TPA_Extensions |
| Field | BaseByGuestAmts |
| Exemple | <pre> <BaseByGuestAmt NumberOfGuests="1" CurrencyCode="USD" AmountBeforeTax="215.00" MaximumAmountBeforeTax="335.00"/> <BaseByGuestAmt NumberOfGuests="2" CurrencyCode="USD" AmountBeforeTax="215.00" MaximumAmountBeforeTax="335.00"/> </pre> |

BAR= AmountBeforeTax

WAR= MaximumAmountBeforeTax



11.4 Property code correspondence

Here is display the correspondence of the hotel property in the other GDS.
For Pegasus one, the property code is the same as TARS one.

| Segment | TPA_Extensions |
|---------|--|
| Field | GDS_Info |
| Exemple | - <GDS_Codes> <GDS_Code ChainCode="RT" GDS_PropertyCode="32526" GDS_Name="ApolloGalileo" /> <GDS_Code ChainCode="RT" GDS_PropertyCode="NCYANN" GDS_Name="Amadeus" /> <GDS_Code ChainCode="RT" GDS_PropertyCode="22985" GDS_Name="Sabre" /> <GDS_Code ChainCode="RT" GDS_PropertyCode="MRACY" GDS_Name="Worldspan" /> |



11.5 Room type correspondence

Here is display the correspondence of the room type in the other GDS.

| Segment | TPA_Extensions |
|---------|--|
| Field | GuestRoomCodes |
| Exemple | <pre> <GuestRoomCode Code="1A" ID="DBC" GDS_Name="Amadeus" MaxAdultOccupancy="1" /> <GuestRoomCode Code="1A" ID="DBC" GDS_Name="Amadeus" MaxAdultOccupancy="2" /> <GuestRoomCode Code="1A" ID="TWC" GDS_Name="Amadeus" MaxAdultOccupancy="1" /> <GuestRoomCode Code="1A" ID="TWC" GDS_Name="Amadeus" MaxAdultOccupancy="2" /> <GuestRoomCode Code="UA" ID="DBC" GDS_Name="ApolloGalileo" MaxAdultOccupancy="1" /> <GuestRoomCode Code="UA" ID="DBC" GDS_Name="ApolloGalileo" MaxAdultOccupancy="2" /> <GuestRoomCode Code="UA" ID="TWC" GDS_Name="ApolloGalileo" MaxAdultOccupancy="1" /> <GuestRoomCode Code="UA" ID="TWC" GDS_Name="ApolloGalileo" MaxAdultOccupancy="2" /> <GuestRoomCode Code="AA" ID="DBC" GDS_Name="Sabre" MaxAdultOccupancy="1" /> <GuestRoomCode Code="AA" ID="DBC" GDS_Name="Sabre" MaxAdultOccupancy="2" /> <GuestRoomCode Code="AA" ID="TWC" GDS_Name="Sabre" MaxAdultOccupancy="1" /> <GuestRoomCode Code="AA" ID="TWC" GDS_Name="Sabre" MaxAdultOccupancy="2" /> <GuestRoomCode Code="TW" ID="DBC" GDS_Name="Worldspan" MaxAdultOccupancy="1" /> <GuestRoomCode Code="TW" ID="DBC" GDS_Name="Worldspan" MaxAdultOccupancy="2" /> <GuestRoomCode Code="TW" ID="TWC" GDS_Name="Worldspan" MaxAdultOccupancy="1" /> <GuestRoomCode Code="TW" ID="TWC" GDS_Name="Worldspan" MaxAdultOccupancy="2" /> </pre> |



11.6 Label(s) link to the hotel

If the hotel has declared some labels, the segment concerned will be generated.

| | |
|---------|---|
| Segment | Labels |
| Field | Label |
| Exemple | <code><Labels><Label Code="MEETHO" /></Labels></code> |

List

- MEETHO
- SEA
- 14001

11.7 Langues available for any description

All languages available in this XML content for all properties.

EN
FR
DE
ES
PT
IT
NL
PT-BR
JA
ZH
PO
RU

